

Name: \_\_\_\_\_

# Ms. Randall Anatomy and Physiology

## Unit 9: Cardiorespiratory Systems

Slide 1

**Unit 9**  
**Cardiorespiratory**  
**Systems**  
**Ms. Randall**



© 2014 McGraw-Hill Education, Inc.

---

---

---

---

---

---

---

---

---

---

Slide 2

**Lesson 1: Blood**

**Objective:**

- Identify the primary functions of blood, its fluid and cellular components, and its physical characteristics
- Describe the anatomy of erythrocytes and the function of hemoglobin
- Classify leukocytes according to their lineage, their main structural features, and their primary functions
- Identify the basic structure and function of platelets

---

---

---

---

---

---

---

---

---

---

Slide 3

**Functions of Blood**

- Transports oxygen, carbon dioxide, nutrients, hormones, heat, and metabolic wastes
- Helps regulate pH, body temperature, and water content of cells
- Protects through clotting and by combating toxins and microbes through certain phagocytic white blood cells or specialized blood plasma proteins

---

---

---

---

---

---

---

---

Slide 4

**Physical Characteristics of Blood**

- More viscous and denser than water
- Slightly alkaline (pH 7.35 – 7.45)
- Temperature slightly higher (+1° C) than oral or rectal body temperature
- Average volume 5-6 liters male and 4-5 liters female
- About 8% of total body weight
- Whole blood is composed of plasma with dissolved solutes (55%) and formed elements (45%)

---

---

---

---

---

---

---

---

Slide 5

**Physical Characteristics of Blood**

The diagram shows a test tube containing centrifuged blood. The top portion is a clear, light-colored liquid labeled 'PLASMA (55%)'. Below it is a thin, white layer labeled 'Buffy coat, composed of WHITE BLOOD CELLS and PLATELETS'. The bottom portion is a dark red, opaque layer labeled 'RED BLOOD CELLS (45%)'. A bracket on the left groups the plasma and red blood cells layers together.

(a) Appearance of centrifuged blood

Copyright © 2013 John Wiley & Sons, Inc. All rights reserved.

---

---

---

---

---

---

---

---

Slide 6

**Components of Blood: Plasma**

- 91.5% water and 8.5% solutes
- Plasma proteins mainly from liver cells (7%)
  - Albumins: 54%; maintain blood osmotic pressure
  - Globulins: 38%; includes antibodies for immunity
  - Fibrinogen: 7%; key for blood clotting
- Other solutes (1.5%)
  - Electrolytes
  - Nutrients
  - Gases
  - Regulatory enzymes, hormones, and vitamins
  - Waste products

---

---

---

---

---

---

---

---

---

---

Slide 7

**Components of Blood: Formed Elements**

- Red blood cells (RBCs; 99%)
- White blood cells (WBCs; less than 1%)
  - Neutrophils
  - Lymphocytes
  - Monocytes
  - Eosinophils
  - Basophils
- Platelets – cell fragments

---

---

---

---

---

---

---


---

---

---

Slide 8

**Components of Blood: Formed Elements**



The diagram illustrates the relative volume and number of various blood components. On the left, a box labeled 'FORMED ELEMENTS' shows a large volume of red blood cells (RBCs) and a smaller volume of platelets, with the text 'FORMED ELEMENTS 45%' and 'Volume'. In the center, a box labeled 'FORMED ELEMENTS (Number per  $\mu\text{l}$ )' shows 'RED BLOOD CELLS 4.8-5.4 million' and 'WHITE BLOOD CELLS\* 5000-10,000'. On the right, a box labeled 'WHITE BLOOD CELLS' shows five types of WBCs with their percentages: Neutrophils (60-70%), Lymphocytes (20-25%), Monocytes (3-8%), Eosinophils (2-4%), and Basophils (0.5-1.0%).

Copyright © John Wiley & Sons, Inc. All rights reserved.  
© 2013 John Wiley & Sons, Inc. All rights reserved.

---

---

---

---

---

---

---

---

---

---

Slide 9

### Hemopoiesis

- Formation of blood cells from hemopoietic stem cells in red bone marrow controlled by hormones
  - Erythropoietin, thrombopoietin, cytokines, and other hemopoietic growth factors
- Pluripotent stem cells give rise to two kinds of stem cells
  - Myeloid stem cells – differentiate into precursor cells (blasts) for RBCs, platelets, three kinds of granulocytes, and monocytes
  - Lymphoid stem cells – differentiate into precursor cells (lymphoblasts) for two kinds of lymphocytes in red bone marrow, then complete development in lymphatic tissues

---

---

---

---

---

---


---

---

---

---

Slide 10



---

---

---

---

---

---

---

---

---

---

Slide 11

### Erythrocytes (RBCs)

- Mature cells are biconcave discs that lack nuclei and other major organelles, so cannot undergo mitosis or extensive metabolic activities
- Contain oxygen-carrying hemoglobin
  - Gives RBCs their red color
  - Globin part of molecule is four polypeptide chain protein that can bind and transport carbon dioxide
  - Heme part of molecule is ring-like nonprotein pigment with iron that binds to oxygen
- Produced and enter circulation at same rate destroyed (about 2 million per second)

---

---

---

---

---

---


---

---

---

---

Slide 12




---

---

---

---

---

---

---

---

---

---

---

---

Slide 13

- Life Cycle of Erythrocytes (RBCs)**
- Live only about 120 days
    - Fragile, old, or damaged RBCs destroyed by phagocytic macrophages in spleen and liver
  - Hemoglobin is broken down and recycled
    - Amino acids from globin are used to make proteins
    - Iron from heme is transported by transferrin to red bone marrow to be used to synthesize hemoglobin for new RBCs
    - Non-iron portion of heme is eventually converted to bilirubin and secreted into bile that passes into the intestines

---

---

---

---

---

---

---

---


---

---

---

---

Slide 14




---

---

---

---

---

---

---

---

---

---

---

---

Slide 15

**Leukocytes (WBCs)**

- Have a nucleus
- Lack hemoglobin
- Classified based on presence or absence of visible cytoplasmic granules (vesicles)
  - Granulocytes – differential staining visible in light microscope
    - Neutrophil (also called polymorphonuclear leukocytes PMNs)
    - Eosinophil
    - Basophil
  - Agranulocytes – granules present, but small and don't stain, so not visible under light microscope
    - Lymphocyte
    - Monocyte

---

---

---

---

---


---

---

---

Slide 16

**Leukocytes (WBCs)**



(b) Blood smear (thin film of blood spread on glass slide)  
40x

---

---

---

---

---

---

---

---

Slide 17

**Granulocytes**

- Neutrophil
  - Phagocytosis of pathogens
  - Destroy with lysozyme, oxidants, and defensins
- Eosinophil
  - Stop the effect of histamine and other inflammation mediators in allergic reactions
  - Also attack parasitic worms and antigen-antibody complexes
- Basophil
  - Release heparin, histamine, and serotonin to intensify the inflammatory response
  - Involved in hypersensitivity of allergic reactions

© 2013 John Wiley & Sons, Inc. All rights reserved.

---

---

---

---


---

---

---

---

Slide 18




---

---

---

---

---

---

---

---

---

---

Slide 19

- Agranulocytes**
- **Lymphocyte**
    - Function in immune responses
      - B cells produce antibodies, effective on bacteria
      - T cells combat viruses, fungi, transplanted cells, cancer cells and some bacteria
    - Continually recirculate from blood to interstitial fluid and lymph, and back
  - **Monocyte**
    - Migrate into tissues, enlarge and differentiate into macrophages – fixed or wandering
    - Phagocytosis of microbes, with many lysosomes
    - Also clean up cellular debris

---

---

---

---

---

---


---

---

---

---

Slide 20




---

---

---

---

---

---

---

---

---

---

Slide 21

**Leukocyte (WBC) Function**

- Unlike RBCs, WBCs able to leave bloodstream by emigration or diapedesis
- Adhesion molecules slow down select WBC with receptors to assist movement through capillary wall
- Except for lymphocytes, once leave blood vessel do not return to blood vessel
- Chemotaxis
- Pathogens and inflamed tissue release chemicals that attract phagocytic cells
- Neutrophils respond most rapidly to infection site, and monocytes arrive later but in large numbers

---

---

---

---

---

---


---

---

---

---

Slide 22



---

---

---

---

---

---

---

---

---

---

Slide 23

**Leukocyte (WBC) Life Cycle**

- Most live only a few days
- During infection, some live only a few hours
- Some lymphocytes (B and T cells) can live for several months or years
- Differential white blood cell count
- Measures number of each type of WBC in a sample of 100 WBCs
- Because each type of WBC plays a different role in immune response, determining percentage of each type in the blood at a particular time can assist in diagnosing the condition

---

---

---

---

---

---

---

---

---

---



Slide 24

**Platelets (Thrombocytes)**

- Disc shaped cell fragments that lack a nucleus
- Develop from megakaryoblasts under influence of hormone thrombopoietin
- Stop blood loss in damaged vessels
  - Form a platelet plug in the vessel wall
  - Release chemicals that promote blood clotting
- Life span of 5 to 9 days
- Aged and dead platelets removed by fixed macrophages in spleen and liver

---

---

---

---

---

---

---

---

---

---

Slide 25

**Hemostasis**

- Sequence of responses to stop blood loss from a damaged blood vessel
- Quick, localized to region of damage, and carefully controlled by positive feedback
- Three mechanisms
  - Vascular spasm
  - Platelet plug formation
  - Blood clotting

---

---

---

---

---

---

---

---

---

---

Slide 26

**Vascular Spasm and Platelet Plug Formation**

The diagram illustrates the process of hemostasis in three stages:

- 1. Vascular spasm:** A blood vessel is shown with a tear. The vessel wall contracts to reduce blood flow.
- 2. Platelet plug formation:** Platelets adhere to the exposed collagen fibers at the site of the tear. This is followed by a platelet release reaction where platelets release chemicals that cause further platelet aggregation.
- 3. Blood clotting:** The final stage where a permanent blood clot is formed.

© 2013 John Wiley & Sons, Inc. All rights reserved.

---

---

---

---

---

---

---

---

---

---

Slide 27

**Blood Clotting (Coagulation)**

- Clot is a thickened gel of blood with a network of insoluble protein fibers that trap formed elements
- Cascade of reactions involving calcium ions and clotting factors that activate one another
- Clot retraction pulls blood vessel edges together

(a) Early stage

(b) Late stage showing clot retraction (wound edges pulled in by fibrin threads)

---

---

---

---

---

---

---

---

---

---

---

---

Slide 28

**Lesson 2: Blood Typing**

**Objective:**

- Explain the significance of AB and Rh blood groups in blood transfusions

---

---

---

---

---

---

---

---

---

---

---

---

Slide 29

**Blood Groups and Types**

- Based on genetically determined cell surface protein antigens called agglutinogens
- Plasma typically contains antibodies called agglutinins, which react with antigens not on RBC surface
- Blood groups based on presence or absence of antigen, including ABO and Rh groups, but also several others
- With each group, two or more different blood types

---

---

---

---

---

---

---

---

---

---

---

---

Slide 30

**Blood Groups and Types**

TABLE 18.2  
Blood Types in the United States

POPULATION GROUP	BLOOD TYPE (PERCENTAGE)				
	O	A	B	AB	RH+
European-American	45	40	11	4	85
African-American	49	27	20	4	95
Korean-American	32	28	30	10	100
Japanese-American	31	38	21	10	100
Chinese-American	42	27	25	6	100
Native American	79	16	4	1	100

Copyright © 2013 John Wiley & Sons, Inc. All rights reserved.

---

---

---

---

---

---

---

---

---

---

---

---

Slide 31

- ABO Blood Group**
- Based on presence or absence of antigen A and antigen B
  - Plasma contains antibodies to antigen not found on cells
  - Blood types
    - Type A blood – antigen A; anti-B antibodies
    - Type B blood – antigen B; anti-A antibodies
    - Type AB blood – both antigen A and antigen B; no antibodies
    - Type O blood – neither antigen; both anti-A and anti-B antibodies

---

---

---

---

---

---

---

---

---








---

---

---

Slide 32

**ABO Blood Group**

	Group A	Group B	Group AB	Group O
Red blood cell type				
Antibodies present			None	
Antigens present	A antigen	B antigen	A and B antigens	No antigens

---

---

---

---

---

---

---

---

---

---

---

---

Slide 33

**Blood Transfusions**

- Incompatible when the recipient's antibodies (agglutinins in plasma) bind to antigens on the donated blood's RBCs, which causes agglutination (clumping) and hemolysis (RBC rupture)
- Universal recipients – Type AB: in theory can receive blood from donors of all 4 blood types because they have no antibodies to attack the donated RBCs
- Universal donor – Type O: in theory can donate blood to all 4 blood types because no antigens on RBCs to trigger transfusion reaction
- To avoid mismatches, recipient's blood is typed, then cross-matched to potential donor

---

---

---

---

---

---

---

---

Slide 34

**Blood Groups**

- **Type AB: (Universal Recipient)**
  - RBC's have both A and B antigens.
  - Can receive from A, B, AB, and O types.
  - Can donate to AB type only.
- **Type A:**
  - RBC's have A antigens only.
  - Can receive from A and O types.
  - Can donate to A and AB types.
- **Type O: (Universal Donor)**
  - RBC's have NO antigens.
  - Can receive from O type only.
  - Can donate to A, B, AB and O types.
- **Type B:**
  - RBC's have B antigens only.
  - Can receive from B and O types.
  - Can donate to B and AB types.

---

---

---

---

---

---

---

---

Slide 35

**Blood Transfusions**

CHARACTERISTIC	BLOOD TYPE			
	A	B	AB	O
<b>Antigen (agglutinogen) on RBC</b>	A	B	Both A and B	Neither A nor B
<b>Antibody (agglutinin) in plasma</b>	Anti-B	Anti-A	Neither anti-A nor anti-B	Both anti-A and anti-B
<b>Compatible donor blood types (no hemolysis)</b>	A, O	B, O	A, B, AB, O	O
<b>Incompatible donor blood types (hemolysis)</b>	B, AB	A, AB	—	A, B, AB

Source: © 2013 John Wiley & Sons, Inc. All rights reserved.

---

---

---

---

---

---

---

---

Slide 36

**Rh Blood Group**

- Based on the presence (+) or absence (-) of the Rh antigen, first discovered in the *Rhesus* monkey
- Blood Types
  - Type Rh+ blood - has antigen
  - Type Rh- blood – no antigen; only produce anti-Rh antibodies in plasma if exposed to Rh+ antigen, such as during incompatible blood transfusion, sharing hypodermic needles, or when a pregnant Rh- woman is carrying an Rh+ fetus (hemolytic disease of the newborn)

---

---

---

---

---

---

---

---

---

---

Slide 37

**Lesson 3: Structure of the Heart**

**Objective:**

- Identify and describe the interior and exterior parts of the human heart
- Relate the structure of the heart to its function as a pump
- Compare systemic circulation to pulmonary circulation
- Identify the veins and arteries of the coronary circulation system
- Trace the pathway of oxygenated and deoxygenated blood thorough the chambers of the heart

---

---

---

---

---

---

---

---

---

---

Slide 38

**Introduction**

- For blood to reach body cells and exchange materials with them, it must constantly be pumped by the heart through the body's blood vessels
- The heart is a double pump
  - The left side pumps blood through miles of blood vessels in body
  - The right side pumps blood through the lungs, so it can pick up oxygen and unload carbon dioxide

---

---

---

---

---

---

---

---

---

---

Slide 39

**Location of Heart**

- Mediastinum of thoracic cavity
  - Anatomical region between the lungs that extends from the sternum to the vertebral column
- Situated obliquely
  - Apex (pointed end) directed inferiorly to the left
  - Base positioned superiorly to the right

---

---

---

---

---

---

---

---

---

---

Slide 40

**Location of Heart**

Labels in diagrams: Superior vena cava, Arch of aorta, Pulmonary trunk, Right lung, Left lung, Pleural cavity, Anterior lung hilum, Posterior lung hilum, Diaphragm, Anterior view of heart in thoracic cavity, Sternum, Manubrium, Xiphoid process, Right lung, Left lung, Esophagus, Aorta.

---

---

---

---

---

---

---

---

---

---

Slide 41

**Pericardium**

- Protective membrane structure that surrounds the heart
- Two principal parts
  - Fibrous pericardium – tough, dense irregular connective tissue, prevents overstretching and anchors heart in mediastinum
  - Serous pericardium – delicate, double layer serous membranes with serous fluid in thin cavity between membranes

---

---

---

---

---

---


---

---

---

---

Slide 42



---

---

---

---

---

---

---

---

Slide 43

**Layers of Heart Wall**

- **Epicardium**
  - Superficial, visceral layer of the pericardium
  - Contains blood and lymphatic vessels that supply the heart muscle
- **Myocardium**
  - Middle, cardiac muscle tissue layer
  - Involuntary cardiac muscle fibers organized in bundles that swirl diagonally around the heart
- **Endocardium**
  - Endothelium layer overlying connective tissue
  - Lines heart chambers, heart valves
  - Continuous with endothelia lining blood vessels

---

---

---

---


---

---

---

---

Slide 44



---

---

---

---

---

---

---

---

Slide 45

**Heart Chambers**

- Two atria
  - Upper chambers receive blood from veins
  - Pouchlike auricle on anterior surface increases blood volume capacity
- Two ventricles
  - Lower chambers pump blood into arteries
- Sulci – surface grooves containing blood vessels and fat
  - Coronary sulcus
  - Anterior interventricular sulcus
  - Posterior interventricular sulcus

---

---

---

---

---


---

---

---

Slide 46

**Heart Chambers**



(R) Posterior external view showing surface features

Copyright © 2013 John Wiley & Sons, Inc. All rights reserved.

---

---

---

---

---

---


---

---

Slide 47

**Right Atrium**

- Receives blood from
  - Superior vena cava
  - Inferior vena cava
  - Coronary sinus
- Separated internally from left atrium by interatrial septum
- Blood passes through the tricuspid valve (right atrioventricular valve) into right ventricle



---

---

---

---

---

---

---


---



Slide 48

**Right Ventricle**

- Receives blood from the right atrium
- Separated internally from the left ventricle by interventricular septum
- Pumps blood through the pulmonary valve (semi-lunar valve) into the pulmonary trunk that carries blood to the lungs



---

---

---

---

---

---


---

---

Slide 49

**Left Atrium**

- Receives blood from four pulmonary veins
- Other side of interatrial septum and same arrangement of pectinate muscles
- Blood passes through the bicuspid or mitral valve (left atrioventricular valve) into the left ventricle



---

---

---

---

---

---


---

---

Slide 50

**Left Ventricle**

- Receives blood from left atrium
- Pumps blood through the aortic valve (semi-lunar valve) into the ascending aorta that carries blood to the heart wall and to the rest of the body



---

---

---

---

---

---


---

---

Slide 51

### Myocardial Thickness and Function

- Atrial walls thinner than ventricular walls, delivering blood to ventricles with gravity assist
- Left ventricle wall thicker than right ventricle wall, pumping blood great distances to all parts of the body in systemic circulation, while right only pumps to lungs a short distance through pulmonary circulation



© 2008 McGraw-Hill Education. All rights reserved. This content is excluded from our Creative Commons license. For more information, see <http://ocw.mit.edu/help/faq-fair-use/>

---



---



---



---



---



---



---



---



---



---

Slide 52

### Heart Valves

- Open and close in response to pressure differences across the valves created when chamber of heart contracts or relaxes
  - Blood flows from areas of high to low pressure
  - Contraction of chamber increases pressure
- Valves ensure one-way flow of blood
  - Atrioventricular valves – between atrium and ventricle
  - Semi-lunar valves – between ventricle and artery

---



---



---



---



---



---



---



---



---




---

Slide 53

### Atrioventricular Valves (AV)

- Tricuspid (right) and bicuspid (left) valves
- When open, rounded ends of cusps project into ventricle chamber
  - Blood moves through from higher pressure in atria
- Close when ventricle contracts
  - Pressure of blood in chamber drives cusps upward until edges meet and close valve



© 2008 McGraw-Hill Education. All rights reserved. This content is excluded from our Creative Commons license. For more information, see <http://ocw.mit.edu/help/faq-fair-use/>

---



---



---



---



---



---



---



---




---



---



Slide 57




---

---

---

---

---

---

---

---

---

---

Slide 58

**Systemic Circulation**

- Left side of heart is pump
- Circulation of oxygen-rich blood through the body
  - Delivers O<sub>2</sub> to all body cells (except for the air sacs in lung)
  - Picks up CO<sub>2</sub>
- Left ventricle ejects blood into the aorta, then through systemic arteries, and capillaries where gas exchange occurs
- Systemic veins carry blood back to right atrium

---

---

---

---

---

---

---

---

---

---

Slide 59

**Coronary Circulation**

- Right and left coronary arteries branch from ascending aorta to supply oxygen-rich blood to myocardium of heart
- Coronary capillaries – exchange gases and nutrients/wastes
- Coronary veins
  - Collect oxygen-poor blood into coronary sinus on posterior of heart, emptying into right atrium

---

---

---

---

---

---

---

---

---

---

Slide 60

**Cardiac Muscle Tissue**

- Cardiac muscle fibers connected end-to-end via intercalated discs
  - Desmosomes in discs provide strength
  - Gap junctions allow muscle action potentials to conduct from one muscle fiber to its neighbor
- Autorhythmic fibers
  - Form the cardiac conduction system
  - Spontaneously depolarize and generate action potentials
- Contractile fibers
  - Powerful contractions propel blood

---

---

---

---

---

---

---

---


---

---

---

---

Slide 61




---

---

---

---

---

---

---

---

---

---

---

---

Slide 62

**Lesson 4: Blood pressure and the cardiac cycle**

**Objective:**

- Describe the relationship between blood pressure and blood flow
- Summarize the events of the cardiac cycle
- Compare atrial and ventricular systole and diastole
- Relate heart sounds detected by auscultation to action of heart's valves

---

---

---

---

---

---

---

---

---

---

---

---

Slide 63

### Cardiac Conduction System

- Sinoatrial (SA) node pacemaker sets the rhythm of electrical excitation
- Conduction system provides path for each cycle of cardiac excitation
  - Progresses through the heart
    - Sinoatrial (SA) node – right atrial wall
    - Atrioventricular (AV) node – interventricular septum
    - Atrioventricular (AV) bundle – interventricular septum
    - Right and left bundle branches – toward apex
    - Purkinje fibers – from apex upward in myocardium
  - Ensures chambers stimulated to contract in coordinated manner

---

---

---

---

---

---

---

---

Slide 64

### Cardiac Conduction System

Frontal plane

Right atrium

Left atrium

1 SINOATRIAL NODE

2 ATRIOVENTRICULAR NODE

3 ATRIOVENTRICULAR BUNDLE

4 RIGHT AND LEFT BUNDLE BRANCHES

5 PURKINJE FIBERS

Right ventricle

Left ventricle

(A) Anterior view of frontal section

Copyright © 2013 John Wiley & Sons, Inc. All rights reserved.

---

---

---

---

---

---

---

---

Slide 65

### Contraction of Contractile Fibers

- Mechanism of cardiac contraction similar to skeletal muscle
- Phases of action potential
  - Depolarization – Na<sup>+</sup> channels open and ions inflow
  - Plateau – Ca<sup>2+</sup> channels open, inflow triggers contraction
  - Repolarization – K<sup>+</sup> channels open and ions outflow
- Electrical activity leads to mechanical response
  - Anything affecting Ca<sup>2+</sup> movement influences strength of cardiac muscle contraction
- Long refractory period allows chambers to refill with blood
- ATP mainly from aerobic cellular respiration, but also creatine phosphate with creatine kinase (CK)

---

---

---

---


---

---

---

---

Slide 66




---

---

---

---

---

---

---

---

---

---

Slide 67

### Electrocardiogram (ECG or EKG)

- Recording of the electrical charges that accompany each heartbeat
  - Composite of all the action potentials produced by conduction system and cardiac muscle cells during each heartbeat
- Normal ECG waves
  - P wave – atrial depolarization
  - QRS complex – onset of ventricular depolarization
  - T wave – ventricular repolarization

Copyright © 2013 John Wiley & Sons, Inc. All rights reserved.

---

---

---

---

---

---


---

---

---

---

Slide 68




---

---

---

---

---

---

---

---

---

---

Slide 69

### Correlation of ECG Waves with Heart Activity

- Diastole – atrial and ventricular relaxation
- Systole – atrial and ventricular contraction
- Sequence of systole and diastole
  - Depolarization of atria – P wave
  - Atrial systole occurs
  - Ventricular depolarization – QRS complex
    - Masks atrial repolarization occurring at same time
  - Ventricular systole begins; atrial diastole begins
  - Repolarization of ventricles – T wave
  - Ventricular diastole occurs

© 2013 John Wiley & Sons, Inc. All rights reserved.

---

---

---

---

---

---

---

---

---

---

---

---

Slide 70

### Correlation of ECG Waves with Heart Activity

Copyright © John Wiley & Sons, Inc. All rights reserved.  
© 2013 John Wiley & Sons, Inc. All rights reserved.

---

---

---

---

---

---

---

---

---

---

---

---

Slide 71

### Cardiac Cycle

- All events associated with single heartbeat
  - Two atria contract (systole) and relax (diastole)
  - Two ventricles contract (systole) and relax (diastole)
- Heart sounds – caused by blood turbulence due to closing of valves
  - Lubb sound (S1) – closure of both AV valves as ventricles contract (ventricular systole)
  - Dupp sound (S2) – closure of both SL valves as ventricles relax (ventricular diastole)

---

---

---

---

---

---

---

---

---


---

---

---



Slide 72



---

---

---

---

---

---

---

---

---

---

Slide 73

**Regulation of Heart Rate (HR)**

- Cardiovascular center in medulla oblongata is origin of nervous system regulation of HR
  - Receives input from proprioceptors, chemoreceptors, and baroreceptors
  - Also input from limbic system and cerebral cortex
  - Autonomic regulation
- Chemical regulation of HR
  - Hormones – epinephrine and norepinephrine from adrenal gland, thyroid hormones
  - Cations – ionic imbalances of  $\text{Na}^+$ ,  $\text{K}^+$ , and  $\text{Ca}^{2+}$
- Other factors
  - Age, gender, physical fitness, and body temperature

---

---

---

---

---

---

---

---

---

---

Slide 74

**Lesson 5: Respiratory Anatomy**

**Objective:**

- List the structures that make up the respiratory system
- Describe how the respiratory system processes oxygen and  $\text{CO}_2$
- Compare the functions of upper respiratory tract with the lower respiratory tract

---

---

---

---

---

---


---

---

---

---

Slide 75



---

---

---

---

---

---

---

---

---

---

Slide 76

- Functions of Respiratory System**
- Provides for gas exchange
  - Helps regulate blood pH
  - Others
    - Filters inspired air
    - Produces vocal sounds
    - Excretes small amounts of water and heat
    - Contains receptors for sense of smell

---

---

---

---

---

---

---

---

---

---

Slide 77

- Respiratory System**
- Structurally consists of two parts
    - Upper respiratory system includes the nose, pharynx, and associated structures
    - Lower respiratory system includes the larynx, trachea, bronchi, and lungs
  - Functionally also consists of two parts
    - Conducting zone – all upper and lower passageways that filter, warm, moisten, and conduct air (nose to terminal bronchioles)
    - Respiratory zone – portion of lower respiratory system within lungs with gas exchange between air and blood (respiratory bronchioles, alveolar ducts, alveolar sacs, and alveoli)

---

---

---

---

---

---

---

---

---

---

Slide 78

### Nose and Paranasal Sinuses

- **Nose**
  - Visible external portion supported by cartilage and bone, with external nares
  - Nasal cavity is lined by mucous membrane, divided by nasal septum, with conchae extending into cavity from lateral walls
  - Functions
    - Warms, moistens, and filters incoming air
    - Detects olfactory stimuli
    - Contributes to voice resonance
- **Paranasal sinuses**
  - Cavities in skull bones that open into nasal cavity
  - Produce mucus and contribute to voice resonance

---

---

---

---

Slide 79

### Pharynx

- **Muscular tube lined with mucous membrane**
- **Three regions**
  - **Nasopharynx** – passageway for air from internal nares of nasal cavity with openings to auditory tube
  - **Oropharynx** – intermediate portion with opening to mouth
  - **Laryngopharynx** – inferior portion with opening to both esophagus (posterior) and larynx (anteriorly)
- **Functions**
  - Passageway for air and food
  - Resonating chamber for speech sounds
  - Houses tonsils for immune response to inhaled or ingested pathogens

---

---

---

---


---

---

---

---

Slide 80



---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---





Slide 87

- Lungs**
- Paired thoracic cavity organs
    - Visceral pleura covers each lung
    - Parietal pleura lines wall and forms distinct chamber for each lung
    - Pleural cavity filled with serous fluid
  - Lobes divided by fissures
    - Right lung three lobes; left lung two lobes and cardiac notch
    - Each lobe supplied by secondary (lobar) bronchus
    - Bronchopulmonary segments, within lobe, are supplied by tertiary bronchi
    - Many smaller lobules are supplied by terminal bronchiole and respiratory bronchioles with alveoli

---

---

---


---

---

---

---

Slide 88



---

---

---


---

---

---

---

Slide 89



---

---

---

---

---

---

---

Slide 90

**Alveoli**

- Alveolar sac consists of two or more cup-shaped alveoli sharing a common opening to an alveolar duct within lobule
  - Each lobule is wrapped in elastic connective tissue and contains lymphatic vessel, an arteriole, and a venule
  - Each alveolar sac is surrounded by pulmonary capillary
- Alveoli wall around air space in lung has different kinds of cells
  - Type I alveolar cells – simple squamous epithelium
  - Type II alveolar cells (septal cells) – rounded epithelial cells that secrete alveolar fluid with surfactant to inhibit alveolar collapse
  - Alveolar macrophages – remove dust and debris

---

---

---

---

---

---

---

---

---

---

---

Slide 91

**Alveoli**

Labels: TERMINAL BRONCHIOLE, Pulmonary artery, Lymphatic vessel, RESPIRATORY BRONCHIOLE, ALVEOLAR DUCTS, ALVEOLAR SACS, ALVEOLI, VISCERAL PLEURA, Pulmonary capillary, Elastic connective tissue, Pulmonary vein.

168 Diagram of portion of lobule of lung  
Copyright © 2013 John Wiley & Sons, Inc. All rights reserved.

---

---

---

---

---

---

---

---

---

---

---

Slide 92

**Alveoli**

Labels: TERMINAL BRONCHIOLE, Blood vessel, RESPIRATORY BRONCHIOLE, ALVEOLAR DUCTS, ALVEOLI, ALVEOLAR SACS, VISCERAL PLEURA.

169 Microscopic Airways  
 TERMINAL BRONCHIOLES  
 ↓  
 RESPIRATORY BRONCHIOLES  
 ↓  
 ALVEOLAR DUCTS  
 ↓  
 ALVEOLAR SAC  
 ↓  
 ALVEOLI

(b) Lung lobule  
Copyright © 2013 John Wiley & Sons, Inc. All rights reserved. Photo: Digital Anatomist/PhotoDisc/Getty Images, Inc.

---

---

---

---

---

---

---


---

---

---

---

Slide 93



---

---

---

---

---

---

---

---

---

---

---

Slide 94

**Lesson 6: Gas exchange and Breathing mechanics**

**Objective:**

- Compare the composition of atmospheric air and alveolar air
- Describe the mechanisms that drive gas exchange

---

---

---

---

---

---

---

---

---

---

---

Slide 95

**Respiration**

- Three basic steps to the process of gas exchange in the body
- Pulmonary ventilation (breathing)
  - Air flow between atmosphere and alveoli due to alternating pressure differences created by contraction and relaxation of respiratory muscles
  - Inhalation and exhalation
- External respiration (pulmonary exchange)
  - Passive diffusion of gases based on gradient
- Internal respiration (tissue exchange)
  - Passive diffusion of gases based on gradient

---

---

---

---

---

---

---

---

---

---

---



Slide 96

**Pressure Changes During Pulmonary Ventilation**

- Inhalation occurs when alveolar pressure falls below atmospheric pressure
- Exhalation occurs when alveolar pressure is higher than atmospheric pressure
- Boyle's law
  - Volume of gas varies inversely with its pressure
- Differences in pressure caused by changes in lung volume force air into lungs during inhalation and out during exhalation

---

---

---

---

---

---

---

---

---

---

Slide 97

**Boyle's Law**

Volume = 1 liter  
Pressure = 1 atm

Volume = 1/2 liter  
Pressure = 2 atm

© 2013 John Wiley & Sons, Inc. All rights reserved.

---

---

---

---

---

---

---

---

---

---

Slide 98

**Pressure Changes During Pulmonary Ventilation**

1. At rest (diaphragm relaxed)

2. During inhalation (diaphragm contracting)

3. During exhalation (diaphragm relaxing)

© 2013 John Wiley & Sons, Inc. All rights reserved.

---

---

---

---

---

---

---

---

---

---

Slide 99

**Inhalation**

- Contraction of diaphragm and external intercostal muscles increase size of the lungs
- Expansion of lungs decreases alveolar pressure
- Air moves down a pressure gradient from the atmosphere into the lungs
- Deep, forceful inhalation involves accessory muscles that increase size of thoracic cavity further
- Intrapleural pressure (pleural cavity) maintained as sub atmospheric pressure helps keep alveoli slightly inflated

---

---

---

---

---

---

---

---

---

---

---

---

Slide 100

**Inhalation**

**MUSCLES OF INHALATION**  
Sternocleidomastoid  
Scalenes  
External intercostals  
Diaphragm

**Sternum:**  
Exhalation  
Inhalation

**Diaphragm:**  
Exhalation  
Inhalation

(b) Changes in size of thoracic cavity during inhalation and exhalation

---

---

---

---

---

---

---

---

---

---

---

---

Slide 101

**Exhalation (Expiration)**

- Passive process during normal exhalation; active only with forced exhale
- Relaxation of diaphragm and external intercostals results in elastic recoil of chest wall and lungs
- Decreased size increases alveolar pressure
- Air moves down a pressure gradient from the lungs to the atmosphere
- Deep, forceful exhalation involves accessory muscles that decrease size of thoracic cavity further to force additional air out of lungs

---

---

---

---

---

---

---

---


---

---

---

---

Slide 102




---

---

---

---

---

---

---

---

---

---

---

Slide 103

### Factors Affecting Pulmonary Ventilation

- Surface tension of alveolar fluid
  - Alveolar fluid produces an inward force on alveoli, accounting for much of the elastic recoil of exhalation
  - Surfactant in alveolar fluid reduces surface tension
- Compliance of lung tissue
  - Amount of effort required to stretch the lungs
  - Typically high compliance (expand easily) due to elastic fibers
- Airway resistance
  - Walls of airway offer resistance to flow of air in lumen
  - Anything that narrows or obstructs airways increases resistance

---

---

---

---

---

---

---


---

---

---

---

Slide 104




---

---

---

---

---

---

---

---

---

---

---

Slide 105

**Diffusion of Gases**

- Partial pressure of a gas is the pressure exerted by the gas in a mixture of gases
- Passive diffusion of gases is based on partial pressure gradients and solubility
- Dalton's law
  - Each gas in a mixture exerts its own pressure as if the other gases were not present
  - Each gas diffuses across a membrane by moving down its partial pressure gradient
- Henry's law
  - The quantity of a gas that will diffuse into a liquid is proportional to its partial pressure and solubility

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

Slide 106

**External and Internal Respiration**

- External = net pulmonary gas exchange
  - Diffusion of  $O_2$  from alveoli to blood in pulmonary capillary
  - Diffusion of  $CO_2$  from pulmonary capillary blood to air
  - Converts oxygen-poor blood from right ventricle into oxygen-rich blood that returns to left atrium
- Internal = net tissue gas exchange
  - Diffusion of  $O_2$  from systemic capillary blood to cell
  - Diffusion of  $CO_2$  from cell to systemic capillary blood
  - Converts oxygen-rich blood from left ventricle into oxygen-poor blood that returns to right atrium
- Direction of exchange depends on partial pressure gradient across membranes

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

Slide 107

**Summary of Chemical Reactions During Gas Transport and Exchange: External Respiration**

The diagram illustrates the chemical reactions involved in external respiration. On the left, an alveolus is shown with inhaled  $O_2$  entering and exhaled  $CO_2$  leaving.  $O_2$  diffuses from the alveolus through the interstitial fluid and pulmonary capillary wall into the plasma, and then into a red blood cell. Inside the red blood cell,  $O_2$  binds with hemoglobin (Hb) to form oxyhemoglobin ( $Hb-O_2$ ), releasing  $H^+$ . Simultaneously,  $CO_2$  from the tissue enters the red blood cell and reacts with  $H_2O$  and  $H^+$  to form bicarbonate ( $HCO_3^-$ ), a reaction catalyzed by carbonic anhydrase.  $HCO_3^-$  then moves out to the plasma and interstitial fluid, while  $Cl^-$  moves in. This process is labeled as a reverse chloride shift. The final chemical reactions shown are:  $O_2 + Hb \rightleftharpoons Hb-O_2 + H^+$  and  $CO_2 + H_2O + H^+ \rightleftharpoons HCO_3^- + H^+$ .

(a) Exchange of  $O_2$  and  $CO_2$  in pulmonary capillaries (external respiration)

Copyright © John Wiley & Sons, Inc. All rights reserved. © 2013 John Wiley & Sons, Inc. All rights reserved.

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---


---

---

---

---

Slide 108



---

---

---

---

---

---

---

---

---

---

---

---

Slide 109

- ### External and Internal Respiration Rate
- Rate of exchange varies depending on several factors
  - Partial pressure differences of the gases
    - Larger differences accelerate rates of diffusion
  - Surface area available for gas exchange
    - Any decrease in functional surface area slows diffusion
  - Diffusion distance
    - Buildup of interstitial fluid increases distance and slows diffusion
  - Molecular weight and solubility of the gases
    - $CO_2$  net diffusion greater than  $O_2$  net diffusion

---

---

---

---

---

---

---

---

---

---

---

---

Slide 110

- ### Oxygen Transport
- Small amount of  $O_2$  is dissolved in blood plasma
  - Most oxygen transported in blood bound temporarily to iron of hemoglobin in RBCs
    - Reversible reaction: oxyhemoglobin/deoxyhemoglobin
  - Amount bound depends on partial pressure of oxygen ( $PO_2$ )
    - Higher  $PO_2$  – hemoglobin saturated with 4 oxygen molecules
    - As  $PO_2$  decreases - bond is weaker,  $O_2$  dissociates (separates), and hemoglobin is partially saturated
    - Percent saturation depends on average number of  $O_2$  molecules bound to hemoglobin (e.g., 2  $O_2$  = 50%)

---

---

---

---

---

---

---

---

---

---

---

---

Slide 111

**Other Factors Affecting Affinity of Hemoglobin for Oxygen (Unloading)**

- As affinity (tightness of hemoglobin-oxygen bond) changes, O<sub>2</sub> is released from hemoglobin (unloaded), providing more O<sub>2</sub> to metabolically active cells
- Acidity
  - As acidity increases (pH decrease) O<sub>2</sub> dissociates more readily from hemoglobin – Bohr effect
  - Lactic acid and carbonic acid produced by active cells
- Temperature
  - As temperature increases, O<sub>2</sub> dissociates more readily from hemoglobin
  - Heat is a by-product of metabolic reactions

---

---

---

---

---

---

---

---

Slide 112

**Other Factors Affecting Affinity of Hemoglobin for Oxygen**

- P<sub>CO<sub>2</sub></sub>
  - CO<sub>2</sub> can also bind to hemoglobin, affecting the bond
  - CO<sub>2</sub> also affects the bond through pH and Bohr effect
    - As CO<sub>2</sub> enters blood, it temporarily reacts with water (H<sub>2</sub>O) to form carbonic acid in RBCs catalyzed by the enzyme carbonic anhydrase
    - Carbonic acid dissociates into bicarbonate ions (HCO<sub>3</sub><sup>-</sup>) and hydrogen ions (H<sup>+</sup>)
    - As concentration increases, blood pH decreases, and O<sub>2</sub> dissociates more readily from hemoglobin
- BPG (2,3-bisphosphoglycerate)
  - Byproduct of RBC metabolism, increases O<sub>2</sub> unloading

---

---

---

---

---

---

---

---

Slide 113

**Carbon Dioxide Transport**

- CO<sub>2</sub> is transported from cells back to lungs in three main forms
- Dissolved in blood plasma CO<sub>2</sub> ~ 7%
- Bound to hemoglobin ~ 23%
  - Carbaminohemoglobin – bound to globin portion of hemoglobin molecule
- Bicarbonate ions (HCO<sub>3</sub><sup>-</sup>) ~ 70%
  - Carbonic anhydrase catalyzes formation of bicarbonate ions in RBCs as CO<sub>2</sub> reacts with H<sub>2</sub>O
  - Bicarbonate ions move out of RBC into plasma, down concentration gradient
  - Chloride shift (Cl<sup>-</sup> into RBC) maintains electrical balance

---

---

---

---


---

---

---

---

Slide 114




---



---



---



---



---



---



---



---



---



---

Slide 115

**Control of Respiration**

- Respiratory center, in the brain stem, sends impulses to respiratory muscles that alter size of the thorax for ventilation
- Medullary rhythmicity area – medulla oblongata
  - Inspiratory area establishes basic rhythm of breathing with impulses on phrenic and intercostal nerves
  - Expiratory area stimulates accessory muscles during forceful breathing
- Pneumotaxic area – upper pons
  - Inhibits inspiratory area before the lungs become too full
- Apneustic area – lower pons
  - Stimulates inspiratory area to prolong inhalation

---



---



---



---



---



---



---



---



---



---

Slide 116

**Acid-Base Imbalances**

- Acidosis
  - Systemic arterial blood pH below 7.35
  - Physiological effect – depression of CNS
- Alkalosis
  - Systemic arterial blood pH above 7.45
  - Physiological effect – overexcitability of CNS
- Respiratory compensation within minutes if source of pH change is metabolic
  - Acidosis – increased rate and depth of breathing expels more CO<sub>2</sub> (hyperventilation)
  - Alkalosis – decreased rate and depth of breathing accumulates CO<sub>2</sub> in blood

---



---



---



---



---



---



---



---



---



---

Slide 117

**Acid-Base Imbalances**

- **Respiratory acidosis**
  - Abnormally high systemic blood  $P_{CO_2}$  due to inadequate exhalation of  $CO_2$  causes drop in blood pH
  - Causes include emphysema, pulmonary edema, injury to respiratory center, airway obstruction, and disorders of the respiratory muscles
- **Respiratory alkalosis**
  - Abnormally low systemic blood  $P_{CO_2}$  due to hyperventilation causes rise in blood pH
  - Causes include oxygen deficiency due to high altitude or pulmonary disease, stroke, and severe anxiety

---

---

---

---

---

---

---

---